



LANCIER
Hydraulik

GmbH & Co. KG

www.lancier-hydraulik.de

Accessories



... when it gets tough !



Accessories

New Hose Concept



The new high pressure twin line hoses of LANCIER Hydraulik save weight and space. Their reduced diameter offers great benefit for the equipment's handling, because the pressure hoses provide a weight reduction of about 50 % in comparison to conventionals.

Additionally to the weight reduction the new hoses are much more flexible than the regular ones. This allows for smaller bending radii and easier handling of the unrolled hoses.


Due to these attributes LANCIER Hydraulik was able to minimize all hose reels, thus utilising the confined spaces in rescue vehicles in a much better way.



Collapsible carrying handles



- For easy and ergonomic carrying of hydraulic power units with or without rapid deployment equipment
- Collapsible space saving design
- Made of stainless steel



Order-No. 43749

DIN-upgrade set



- For upgrading standard frame to DIN frame
- Fits all fire trucks, prepared for mounting equipment according to DIN 14751



Order-No. 73042

Free-standing automatic manifold



- Free-standing
- Branches one twin line hose into two connections
- First tool in action has priority

Order-No. 69850

Your qualified LANCIER Hydraulik partner

Subject to alterations, errors excepted.



Accessories

Pulling chains



LANCIER Hydraulik pulling chains can be attached directly to the tips of the spreaders without tip exchange.

The required length is easily adjusted by inserting the chain links into the attached collet.

Pulling chains are delivered as a set consisting of 2 chains and 2 collets.

For LH-SP-1635, -1715, -1820.

Order-No. 71373



Replacement tips



LANCIER Hydraulik spreader's tips are extremely slip-proof. Their optimal cogging guides the tools exactly and safely during the spreading action. Prepared for the direct connection of pulling chains (refert to picture shown above).

For LH-SP-1635, -1715, -1820.

Order-No. 67981



Spreading flange



LANCIER Hydraulik spreading flanges extend the operating range of the outside of the spreading arms and protect them from damages.

Their cogging maximises the grip thus minimising the danger of slipping.

For LH-SP-1635, -1715, -1820.

Order-No. 43881



Monocoupling



All of LANCIER Hydraulik's rescue tools can be equipped with monocouplings.

- Secure coupling of both lines in one action
- Coupling under pending pressure
- 360° freely rotatable: reduces stress to high pressure hoses

Order-No. Nipple 73994

Order-No. Socket 73993

Your qualified LANCIER Hydraulik partner



Accessories

Pulling chains



LANCIER Hydraulik pulling chains can be attached directly to the tips of the combi tool without tip exchange.

The required length is easily adjusted by inserting the chain links into the attached collet.

Pulling chains are delivered as a set consisting of 2 chains and 2 collets.



Order-No. 71373

Replacement blades



The unique construction principle of LANCIER Hydraulik's combi tools provides an easy exchange of the blades without the need of replacing the arms - thus saving time and maintenance expenses.

The regrindable blades must be replaced in pairs.



Order-No. /piece 65398

Monocoupling



All of LANCIER Hydraulik's rescue tools can be equipped with monocouplings.

- Secure coupling of both lines in one action
- Coupling under pending pressure
- 360° freely rotatable: reduces stress to high pressure hoses

Order-No. Nipple	73994
Order-No. Socket	73993

Special features

- Spreading width up to 460 mm**
- Cutting force up to 729 kN / Spreading force up to 119 kN**
- Unique:** design is based on the construction principle of a spreader
- Operating pressure 630 to 720 bar
- High pressure pigtails, 500 mm long, equipped with kink protection
- Automatic locking, flat face quick connect couplings
- Optional with **Monocoupling**
- Twist grip safety control with integrated over pressurization protection
- Ergonomic handle, non slip, extremely handy
- Blades: straight, serrated, regrindable and exchangeable
- Integrated attachment points for the direct connection of pulling chains
- Extreme spreading width



Accessories

Pulling chains



LANCIER Hydraulik pulling chains can be attached directly to the tips of the rescue rams LH-R-1800 and LH-R-11100 without tip exchange.

The required length is easily adjusted by inserting the chain links into the attached collet.

Pulling chains are delivered as a set consisting of 2 chains and 2 collets.

For LH-R-1800 and LH-R-11100

Order-No. 71373



Base plates and wedge heads



Base plates and wedge heads extend the operating ranges of LANCIER Hydraulik rescue rams.

For LH-R-11100 and LH-R-1800

Order-No. Base plate 49934

For LH-R-11600

Order-No. Base plate 50156

Order-No. Wedge head 25219



Ram support base



The galvanised ram support base from LANCIER Hydraulik Schwelleraufsatz is a stable and secure base for rescue rams.

3 notches allow for a longer stroke of the rescue rams. The ram support base can be applied horizontally and vertically.

Order-No. 66180



Monocoupling



All of LANCIER Hydraulik's rescue tools can be equipped with monocouplings.

- Secure coupling of both lines in one action
- Coupling under pending pressure
- 360° freely rotatable: reduces stress to high pressure hoses

Order-No. Nipple 73994

Order-No. Socket 73993

Your qualified LANCIER Hydraulik partner

Subject to alterations, errors excepted.

Accessories



Protective gloves

New:

Special protective gloves for emergency and rescue operations.

- Stretchable fabric for perfect fit.
- Kevlar® ARMORTEX® fabric with protector pads for optimal cover
- PVC fingertips for perfect grip and sensitivity
- Water-repellent and oil-resistant

Order-No.

01032